

## STROMBIDAE RECORDED IN THAILAND - A CHECKLIST

by Henry Roussy

P.O. Box 215, Phuket 83000, Thailand.

The family Strombidae is quite well represented in Thai waters. There is a higher species diversity in the Andaman Sea than in the Gulf of Thailand. Based on five years of studies, 40 species (including subspecies plus one homologous form) have been identified. Theoretically, 2-3 additional species should be found, if actually existing.

The present checklist has the following coding: GT = Gulf of Thailand, AS = Andaman Sea, a = abundant, c = common, uc = uncommon, r = rare.

	AS	GT		AS	GT
1. <i>Terebellum terebellum</i> (L., 1758)	c	+	+	14. <i>S. bulla</i> (Roding, 1798)	uc +
2. <i>T. terebellum</i> form <i>punctulorum</i> Roding, 1798	c	+	+	15. <i>S. vittatus</i> form <i>australis</i> Schroter, 1805	c + +
3. <i>T. terebellum</i> form <i>lineatum</i> Roding, 1798	c	+	+	16. <i>S. listeri</i> Gray, 1852	uc +
4. <i>Tibia fusus</i> (L., 1758)	uc	+	+	17. <i>S. canarium</i> L., 1758	a +
5. <i>T. cancellata</i> (Lamarck, 1816)	uc	+		18. <i>S. epidromis</i> L., 1758	c + +
6. <i>T. delicatula</i> (Nevil, 1881)	uc	+		19. <i>S. gibberulus gibberulus</i> L., 1758	uc +
7. <i>T. pewisi</i> (Petit, 1842)	uc	+		20. <i>S. gibberulus gibbosus</i> (Roding, 1798)	uc + +
8. <i>Strombus lentiginosus</i> (L., 1758)	uc	+		21. <i>S. decorus decorus</i> (Roding, 1798)	c + +
9. <i>S. pipus</i> (Roding, 1798)	uc	+		22. <i>S. labiatus olydius</i> Duclos, 1844	uc +
10. <i>S. pipus</i> ss.	r	+		23. <i>S. labiosus</i> Wood, 1828	uc +
11. <i>S. sinuatus</i> Humphrey, 1786	uc	+		24. <i>S. marginatus septimus</i> Duclos, 1844	uc +
12. <i>S. aratrum</i> (Roding, 1798)	uc	+	+	25. <i>S. microreus</i> (Kira, 1959)	uc +
13. <i>S. aurisdianae</i> L., 1758	uc	+	+	26. <i>S. mutabilis</i> Swainson, 1821	uc +
				27. <i>S. luhuanus</i> L., 1758	uc + +
				28. <i>S. plicatus pulchelus</i> Reeve, 1851	uc +
				29. <i>S. urceus urceus</i> L., 1758	c + +
				30. <i>S. urceus ustulatus</i> Schumacher, 1817	c +
				31. <i>S. variabilis</i> Swainson, 1820	uc +
				32. <i>S. dentatus</i> L., 1758	r +
				33. <i>S. erythrinus</i> Dillwyn, 1817	r +
				34. <i>S. terebellatus terebellatus</i> Sowerby II, 1842	r +
				35. <i>S. terebellatus afrobellatus</i> Abbott, 1960	r +
				36. <i>Lambis chiraca</i> L., 1758	uc +
				37. <i>L. crocata crocata</i> (Link, 1807)	uc +
				38. <i>L. lambis</i> L., 1758	uc +
				39. <i>L. scorpius scorpius</i> (L., 1758)	c +
				40. <i>L. truncata</i> (Humphrey, 1786)	uc +

